

SD Series

The microphone crossbar adapter adopts sawtooth design, which can increase friction and make the crossbar locked more firmly, and the microphone will not tilt when fixed on the stand.

CHINA PATENT NO.: 2014204096920



VS



NEW

OLD

SD158

Adjustable Height	970-1600mm
Inner box	100*100*910mm(1pcs)
Master Carton	320*220*940mm(6pcs)
Weight	1.8kg (inner box/1 pcs)
Arm length	800mm



SD135

Color	black
Adjustable height	525—755
Rail	500-895
Material	high quality carbon steel
Inner carton	100*100*670mm
Outer carton	320*220*700mm(6 pcs)
Net weight	1.5kg



SD131

Adjustable Height	970-1600mm
Inner box	100*100*910mm(1pcs)
Master Carton	320*220*940mm(6pcs)
Weight	1.7kg
Arm length	800mm



SD132

Adjustable Height	970-1600mm
Inner box	100*100*910mm(1pcs)
Master Carton	320*220*940mm(6pcs)
Weight	1.7kg
Arm length	800mm



SD140

Adjustable height	950-1550mm
Material	iron, plastic
Inner box	100*100*870mm(1pcs)
outer box	320*220*890mm(6pcs)
Weight	1.9kg(1pcs)



SD159

Color	black
Adjustable height	525—755mm
Rail	500-895mm
Material	high quality carbon steel
Inner carton	100*100*670mm
Outer carton	320*220*700mm(6 pcs)
Net weight	1.47kg



SD139

Adjustable height	950-1550mm
Material	iron, plastic
Inner box	100*100*920mm(1pcs)
outer box	320*220*940mm(6pcs)
Weight	1.35kg(1pcs)



> This structure is both for boom change angle and slide forth and back.
> Reinforcing rib, increase damping



SD160

The surface adopts high temperature static powder spraying. Knob adjustment control, foldable. 1kg balance counter-weight with adjustable position is provided at the end of the crossbar. Thread Adapter (5/8" Female to 3/8" Male). Top of Vertical Rod: 3/8" -16 Thread transfer, The rod body can be inserted with safety bolt.

Color	black
Height	888-1640mm
Boom length	575-950mm
Material	steel
Weight	4.0 Kg
Inner box	140*105*900mm
Master carton	300*230*930mm(4pcs)



SD201

Height	800mm
Material	steel
Inner box	80×70×810mm (1pcs)
Master Carton	235×180×830mm (6pcs)
Weight	0.7kg (inner box/1pcs)



SD202

Height	500-800mm
Material	steel
Inner box	80×70×540mm (1pcs)
Master Carton	235×180×560mm (6pcs)
Weight	0.7kg (inner box/1pcs)


Clamp-On Beverage and Microphone Holder

- > The V-shaped clamp on the rack can be clamped on the pole with the maximum outside diameter of 38, and suitable size mineral water bottles, thermos cups and beverage cups can be placed in the large circle. Reverse clamping allows you to place a microphone of suitable size. Meet user needs.
- > The large ring is covered with EVA material to protect the cup body from scratches. The small ring sleeve is made of rubber to protect the microphone.



SE602

Color	black
Large ring inner diameter	φ80
Small ring inner diameter	φ37.5
Clamping distance	38
Material	steel
Weight	0.28kg
Inner box	135*110*90mm
Master carton	470*290*495mm(40pcs)



SD205

Height	900-1500mm
Material	Steel
Base Material	Metal
Inner box	90×90×850mm(1pcs)
Master Carton	295×200×870mm(6pcs)
Weight	1.8kg(inner box/1pcs)



SD207

Height	900-1500mm
Material	steel
Inner box	90×90×850mm (1pcs)
Master Carton	295×200×870mm (6pcs)
Weight	1.5kg (inner box/1pcs)

SD208

Height	1020-1620mm
Material	steel
Inner box	90×90×1000mm (1pcs)
Master Carton	295×200×1020mm (6pcs)
Weight	2kg (inner box/1pcs)





Φ25

SD209

Height	900-1500mm
Material	steel
Inner box	90×90×850mm (1pcs)
Master Carton	295×200×870mm (6pcs)
Weight	2kg (inner box/1pcs)



Φ25

**SD215**
(Single-bar)**SD225**
(Double-bar)

Height	1000-1600mm
Material	Steel
Base Material	Metal
Inner box	95x95x1030mm(1pcs)
Master Carton	305x210x1050mm(6pcs)
Weight	2.5kg(inner box/1pcs)

SD216

Height	450mm
Material	steel
Inner box	95×95×515mm (1pcs)
Master Carton	305×210×540mm (6pcs)
Weight	2kg (inner box/1pcs)

**SD226**

Height	550-800mm
Material	steel
Inner box	95×95×600mm (1pcs)
Master Carton	305×210×620mm (6pcs)
Weight	2kg (inner box/1pcs)

**SD217**
(Single-bar)**SD227**
(Double-bar)


Height	1000-1600mm
Material	steel
Inner box	95×95×1030mm (1pcs)
Master Carton	305×210×1050mm (6pcs)
Weight	2.5kg (inner box/1pcs)

Height	1000-1600mm
Material	steel
Inner box	95×95×1170mm (1pcs)
Master Carton	305×210×1195mm (6pcs)
Weight	3kg (inner box/1pcs)



**SD219**
(Single-bar)**SD229**
(Double-bar)

Height	1000-1600mm
Material	steel
Base Material	metal
Inner box	95x95x1030mm (1 pcs)
Master Carton	305x210x1050mm (6 pcs)
Weight	3kg (inner box/1 pcs)

**SD252**
(Double-bar)

Height	1000-1600mm
Material	Steel
Base Material	Metal
Inner box	90x90x860mm(1 pcs) 300x200x890mm(6 pcs)
Master Carton	
Weight	2.5kg (inner box/1 pcs)

**SD271**

Height	1000-1600mm
Material	Steel
Base Material	Metal
Inner box	90x90x850mm(1 pcs) 255x200x870mm(6 pcs)
Master Carton	
Weight	1.8kg (inner box/1 pcs)

**SD281**


Height	1000-1600mm
Material	Steel
Base Material	Metal
Inner box	90x90x850mm(1 pcs) 295x200x870mm(6 pcs)
Master Carton	
Weight	1.8kg (inner box/1 pcs)

**SD261**
(Single-bar)**SD262**
(Double-bar)

Height	1000-1600mm
Material	steel
Base Material	metal
Inner box	95x95x1030mm (1 pcs)
Master Carton	305x210x1050mm (6 pcs)
Weight	3kg (inner box/1 pcs)

**DD002B/W**

Height	980-1680mm
Arm Length	800mm
Base	Metal
Inner box	90x90x990mm(1 pcs) 290x200x1010mm(6 pcs)
Master Carton	
Weight	3.2kg (inner box / 1 pcs)

**DD003B/W**

Height	1000-1700mm
Arm Length	530-910mm
Base	Metal
Inner box	90x90x880mm(1 pcs) 290x200x890mm(6 pcs)
Master Carton	
Weight	2.5kg (inner box / 1 pcs)


**DD005B/W**

Height	1000-1700mm
Arm Length	800mm
Base	90°×90°×860mm(1pcs)
Inner box	290×200×890mm(6pcs)
Master Carton	2.8kg(Inner box/1pcs)
Weight	



1. Zinc Alloy
2. Plastic


All Different Optional Spare Parts

**DD007B/W**

Height	1000-1700mm
Arm Length	800mm
Base	90°×90°×860mm(1pcs)
Inner box	290×200×890mm(6pcs)
Master Carton	3.2kg
Weight	

**DD008B/W**

Height	1010-1710mm
Arm Length	530-910mm
Base	90°×90°×860mm(1pcs)
Inner box	290×200×890mm(6pcs)
Master Carton	2.3kg(Inner box / 1pcs)
Weight	

**DD017B/W**

Height	920-1620mm
Base	90°×90°×860mm(1pcs)
Inner box	290×200×890mm(6pcs)
Master Carton	2.3kg(Inner box / 1pcs)
Weight	

**DD018B/W**

Height	380mm
Arm Length	500mm
Rod Diameter	φ13-19mm
Inner box	120×70×530mm(1pcs)
Master Carton	380×260×560mm(10pcs)
Weight	1.2kg(Inner box/1pcs)

**DD028B/W**

Height	960-1880mm
Gooseneck	φ15×300mm
Dia. of Base	250mm
Inner box	840×320×50×50mm(1pcs)
Master Carton	860×390×130mm(4pcs)
Weight	5kg(Inner box / 1pcs)

**DD030B/W**

Height	880-580mm
Dia. of Base	250mm
Inner box	840×320×50×50mm(1pcs)
Master Carton	860×390×130mm(4pcs)
Weight	5kg(Inner box/ 1pcs)

**DD032B/W**

Height	470mm
Arm Length	500mm
Dia. of Base	180mm
Inner box	540×210×80×70mm(1pcs)
Master Carton	560×340×240mm(6pcs)
Weight	2.2kg(Inner box/ 1pcs)

**DD034B/W**

Height	560-800mm
Arm Length	530-910mm
Base	Metal
Inner box	90×90×580mm(1pcs)
Master Carton	290×200×600mm(6pcs)
Weight	2.5kg(Inner box / 1pcs)

**DD035B/W**

Height	540mm
Arm Length	530-910mm
Base	Metal
Shipping Package	29x20x60cm(6pcs)

**DD054B/W**

Height	540mm
Arm Length	530-910mm
Base	Metal
Shipping Package	29x20x60cm(6pcs)

**DD061B/W**

Height	850-1450mm
Arm Length	800mm
Base	Plastic
Inner box	90×90×860mm(1pcs)
Master Carton	300×200×890mm(6pcs)
Weight	2.1kg(Inner box / 1pcs)

**DD065B/W**

Height	560-800mm
Arm Length	530-910mm
Base	Metal
Inner box	90×90×580mm(1pcs)
Master Carton	290×200×600mm(6pcs)
Weight	2.5kg(Inner box / 1pcs)

**DD066B/W**

Height	560-800mm
Arm Length	530-910mm
Base	Metal
Inner box	90×90×580mm(1pcs)
Master Carton	290×200×600mm(6pcs)
Weight	2.5kg(Inner box / 1pcs)

**DD049B/W**

Height	855-1644mm
Dia. of Base	250mm
Inner box	840×320×50×50mm(1pcs)
Master Carton	880×390×130mm(4pcs)
Weight	5kg(Inner box / 1pcs)

DD053B/W

Height	880-1580mm
Dia. of Base	250mm
Inner box	840×320×50×50mm(1pcs)
Master Carton	880×390×130mm(4pcs)
Weight	5kg(Inner box / 1pcs)



DD069B/W

Height	370mm
Gooseneck	φ 15×300mm
Base	Steel
Inner box	565×175×75mm(1pcs)
Master Carton	750×430×700mm(100pcs)
Weight	1.9kg(Inner box / 1pcs)

DD089B

Adjustable Height	1000-1700 mm
Telescopic Boom Length	530-910 mm
Material	High Tensile Steel + Reinforced Nylon
Master Carton	290×200×1090mm(6pcs)
Weight	2kg(Inner box / 1pcs)

CHINA PATENT NO.: 200720191428.4



DD077B/W

Broadcast / Webcast Boom Arm

This product is a professional articulating mic boom intended for broadcast and webcast applications. Once the bracket is adjusted, the position of the equipment can be adjusted repeatedly with one hand, which is light and convenient. The spring mounted on the bracket provides balancing power. The weight of the radio microphone or other equipment at the top of the bracket can reach 1.0Kg

The bracket can be clamped or locked to the flat plate well by the clamp fittings matched, where the C-shaped clamp has a plate thickness of 54mm and the flange clamp is locked to the table by self-tapping screws.

Cable: 6X5m Male and female Canon double core connection

Horizontal arm length	467
Vertical arm length	467
Top port: 5/8"	5/8" - 27
Material	steel; The clamping seat is aluminum alloy
Color	black
Net weight	1.9Kg
Inner box	175*75*565mm
Master carton	550*370*390mm(10pcs)



DD090B

Height	1000-1700 mm
Arm Length	750 mm
Base	Plastic & Steel
Inner box	90×90×1030mm(1pcs)
Master Carton	290×200×1060mm(6pcs)
Weight	2.5kg(Inner box/1pcs)



DD115

Height	1010-1730mm
Boom length	530-910mm
DIA. OF BASE	250mm
Inner box	95×90×1050mm(1pcs)
Master Carton	210×200×1080mm(4pcs)
Weight	2.7kg(Inner box / 1pcs)



DD128

Microphone Stand with One-hand Quick Release Clutch

Adjustable height	1125-1675 mm
Base material	zinc alloy
Material	steel
Master Carton	320×220×1090mm(6pcs)



DD126

Microphone Stand with One-hand Quick Release Clutch

Adjustable height	1150-1700 mm
Base material	zinc alloy
Material	steel
Base dia	530-910mm
Arm length	530-910mm
Inner box	100×100×1195mm
Master Carton	320×220×1225mm(6pcs)



MICROPHONE STANDS

DD129 Microphone Stand with One-hand Quick Release Clutch

Adjustable height	1050-1600 mm
Base material	Iron
Material	Steel
Base dia	250mm
Master Carton	310×270×1040mm(6pcs)



DD130 Economical

Height	1000-1700mm
Boom length	800mm
Inner box	100×100×910mm
Master Carton	320×220×940mm
Weight	1.8kg

MICROPHONE CLIP / HOLDER AND ACCESSORIES



DE022

M: 5/8-27"
I.D: ϕ 22-30
Master Carton:
460×400×280mm(250pcs)



DE023

M: 5/8-27"
I.D: ϕ 22-30
Master Carton:
460×400×280mm(250pcs)



DE024

I.D: ϕ 33
Master Carton:
460×400×280mm(250pcs)



DE026

F: 5/8-27"
Master Carton:
400×400×320mm(100pcs)



DE027

M: 5/8-27"
I.D: ϕ 24-28
Master Carton:
460×400×280mm(250pcs)



DE028

M: 5/8-27"
I.D: ϕ 24-28
Master Carton:
460×400×280mm(250pcs)



DE029

M: 5/8-27"
I.D: ϕ 27-30
Master Carton:
460×400×280mm(250pcs)



DE030

M: 5/8-27"
I.D: ϕ 22-25
Master Carton:
460×400×280mm(250pcs)

MICROPHONE CLIP / HOLDER AND ACCESSORIES



DE017

F: 5/8-27"
M: 3/8-16"
Master Carton:
520×220×140mm(100pcs)



DE018

F: 3/8-13"
M: 5/8-27"
Master Carton:
520×220×140mm(100pcs)



DE019

F: 3/8-16"
M: 1/2"
Master Carton:
520×220×140mm(100pcs)



DE020

F: 3/8-16"
M: 3/8-16"
Master Carton:
520×220×140mm(100pcs)



DE021

F: 1/2"
M: 3/8-16"
Master Carton:
520×220×140mm(100pcs)



DE031

M: 5/8-27"
I.D: ϕ 22-25
Master Carton:
460×400×280mm(250pcs)



DE032

M: 5/8-27"
I.D: ϕ 25-30
Master Carton:
460×400×280mm(250pcs)



DE048

M: 5/8-27"
I.D: ϕ 22-25
Master Carton:
460×400×280mm(250pcs)



DE049

M: 5/8-27"
I.D: ϕ 31
Master Carton:
460×400×280mm(250pcs)



DE060

M: 5/8-27"
I.D: ϕ 21
Master Carton:
320×220×220mm(250pcs)

**DE051**

Height: 125mm
Dia. of Base: 70mm
Master Carton:
400×400×230mm(50pcs)

**DE033**

Height: 105mm
Dia. of Base: 70mm
Master Carton:
400×400×230mm(50pcs)

**DE034**


Height: 115mm
Dia. of Base: 85mm
Master Carton:
480×200×260mm(20pcs)

**DE053**

Height: 20mm
Dia. of Base: 60mm
Master Carton:
570×220×140mm(200pcs)

**DE058**

Master Carton:
570×220×140mm(40pcs)

**DE050****DE027****DE031****DE035**

Master Carton:
420×220×300mm(50pcs)

**DE036**

Master Carton:
420×220×300mm(50pcs)

**DE037**

Master Carton:
420×250×350mm(100pcs)

**DE052**

Master Carton:
460×400×280mm(50pcs)

**EE041****EE038****DE038B/W**

3/8"-3/8"
O.D.: 11X200mm(8")

DE039B/W

3/8"-3/8"
O.D.: 15X200mm(8")

DE040B/W

3/8"-3/8"
O.D.: 15X300mm(12")

DE041B/W

3/8"-3/8"
O.D.: 15X400mm(16")

DE042B/W

3/8"-3/8"
O.D.: 18.5X500mm(20")

DE043B/W

3/8"-3/8"
O.D.: 18.5X600mm(24")

DE044B/W

3/8"-XLR(F)
O.D.: 15X300mm(12")

DE045B/W

3/8"-XLR(F)
O.D.: 15X400mm(16")

DE046B/W

XLR(M)-XLR(F)
O.D.: 15X300mm(12")

DE047B/W

XLR(M)-XLR(F)
O.D.: 15X400mm(16")

DE055B/W

5/8"-5/8"
O.D.: 15X300mm(12")

DE056B/W

5/8"-5/8"
O.D.: 15X400mm(16")