



SIP107

Inner box	120x50x165mm(1pcs)
Master Carton	540x380x355mm(30pcs)

The stand can be used for phones ranging in size from 6.3 to 7.5 inches



SIP108B

Inner box	120x50x165mm(1pcs)
Master Carton	540x380x355mm(30pcs)

The stand can be used for phones ranging in size from 5.5 to 7.2 inches



SIP108A

Inner box	120x50x125mm(1pcs)
Master Carton	540x380x275mm(30pcs)

The stand can be used for phones ranging in size from 5.5 to 7.2 inches



SIP109


Inner box	105x60x340mm(1pcs)
Master Carton	640x335x360mm(30pcs)

The stand can hold tablets in sizes ranging from 9.2 to 13.5 inches



SD133

Adjustable Height	1100-1700mm
Material	Iron
Inner box	100x100x910mm (1pcs)
Master Carton	320x220x940mm (3pcs)



DF136

Laptop and Projector Stand

Height	920-1300 mm
Plate size	350x320cm
Material	Steel
Inner box	320x150x760mm(1pcs)
Master Carton	660x320x790mm(4pcs)
Weight	5kg(Inner box/1pcs)



SIP105

Clamp-on Tablet Holder

Used to fix iPad or Android Pad with 7-10 inches screen

Inner box : 240x115x100 mm

master box : 500x370x230 mm(12pcs)

Weight : 0.5kg



SIP105-1

Clamp-on Tablet Holder

Used to fix iPad or Android Pad with 7-14 inches screen

Inner box : 275x120x100 mm

master box : 570x380x230 mm(12pcs)

weight : 0.64kg





DF129KD

Height:	43 - 109.2 cm
Width:	22 - 55.9 cm
Length:	5 - 151.5 cm
Weight:	14 kg
Color:	Black

Storage cart for sheet music stands:

- Holds up to 10 orchestra sheet music stands model DF013
- Allows fast removal and easy racking of music stands, as well as neat storage in a very small space
- Designed for indoor use, easy to maneuver on all floor surfaces
- Sturdy steel construction for safe support and years of reliability, this practical cart features durable powder coated finish and roller bearing wheels



DF099-2

Height	470 - 525 mm
Seat Size	425 x 325 mm
Material	Steel
Inner box	335x130x620 mm
Master Carton	555x355x650 mm
Weight	4.75kg(Inner box / 1 pc)



DF059

Height	520 mm
Plate Size	φ330 mm
Material	Steel
Inner box	350x170x470mm(1pcs)
Master Carton	880x370x490mm(5pcs)
Weight	3.8kg(Inner box / 1pcs)



DF089

Height	600-810 mm
Seat Size	φ330 mm
Material	Steel
Inner box	350x170x470mm(1pcs)
Master Carton	880x370x490mm(5pcs)
Weight	4kg(Inner box / 1pcs)



SD001

Diameter	300mm
Min height adjustment	490mm
Max height adjustment	590mm



SD002

saddle contour	
Min height adjustment	480mm
Max height adjustment	570mm



DF019

Height	430-480 mm
Seat Size	405(W)x305(D)mm
Material	Steel
Inner box	320x120x580mm(1pcs)
Master Carton	630x340x610mm(5pcs)
Weight	4.3kg(Inner box / 1pcs)



DF074

Height	550-620 mm
Seat Size	600(W)x300(D)mm
Material	Steel
Inner box	340x150x770mm(1pcs)
Master Carton	620x360x790mm(4pcs)
Weight	6kg(Inner box / 1pcs)

Folding Keyboard bench



DF075

Height	490-580 mm
Seat Size	530(W)x240(D) mm
Material	Steel
Inner box	350x140x650mm(1pcs)
Master Carton	720x370x680mm(5pcs)
Weight	5.2kg(Inner box / 1pcs)



DF018

Adjustable Multi-use Utility Table

Height	650-1100mm
Base Size	735~1130(W)X220(D)mm
Material	Steel
Inner box	390x130x740mm(1pcs)
Master Carton	410x630x770mm(5pcs)
Weight	7.5kg(Inner box / 1pcs)



DF022

Height	695 mm
Base Size	645(W)x550(D)mm
Material	Steel
Inner box	620x80x710mm(1pcs)
Master Carton	640x340x730mm(4pcs)
Weight	7.2kg(Inner box / 1pcs)



DF084

Height	590-900mm
Base Size	600~1000(W)x615(D)mm
Material	Steel
Inner box	600x90x620mm(1pcs)
Master Carton	630x380x640mm(4pcs)
Weight	8.12kg(Inner box / 1pcs)



DLC001-4

Crank up Lighting Stand

Static powder spraying at high temperature and electroplating. It is fixed by anti-skid screw, equipped with safety pin and fixed by two adjusting knobs. It has 8 retractable metal support strips. Hand operated lifting.

Specification:

Color: Black and white
 Round telescopic column: $\phi 35 \times 1.5$
 Square telescopic column: 40×40 mm
 Main column: $\phi 60$
 Height: 1750~4000mm
 Foot: T2*30*30
 Load capacity: 100kg
 Material: High-quality carbon steel
 Master carton: 1810*250*280mm



SA107 Air-cushion Lighting Stands

Specification:

Height: 1900-3500mm
Arm Length: Φ38x1220
Material: Alu+Nyloon
Inner box: 170x135x1310mm
Master Carton: 360x300x1340mm
Load Capacity: 50kg

Patent NO.:

#2013208330689 2013208611907

A: New locking mechanism for reliable safe operation; without the need of safety pin; Easy to adjust the height of the speaker cabinet by one hand.

B: Air cushion mechanism to prevent from the lighting stands falling quickly and meanwhile ensure the safe operation;

SA108 Air-cushion Lighting Stands

Specification:



Height: 1900-3500mm
Arm Length: Φ38x1220
Material: Alu+Nyloon
Inner box: 260x135x1310mm
Master Carton: 540x295x1340mm
Load Capacity: 50kg

Patent NO.:

#2013208330689 2013208611907

A: New locking mechanism for reliable safe operation; without the need of safety pin; Easy to adjust the height of the speaker cabinet by one hand.

B: Air cushion mechanism to prevent from the lighting stands falling quickly and meanwhile ensure the safe operation;



SA109 Air-cushion Lighting Stands

Specification:

Height: 1900-3500mm
Arm Length: 1500-4000mm
Material: Alu+Nyloon
Master Carton: 370x240x1540mm(1set)
Load Capacity: 100kg
Shipping package: 350x90x1500mm(DA010-1)
315x130x1310mm(SA102)

2x
1x



Model No.SA107
Model No.DA010-1

Patent NO.:

#2013208330689 2013208611907

A: New locking mechanism for reliable safe operation; without the need of safety pin; Easy to adjust the height of the speaker cabinet by one hand.

B: Air cushion mechanism to prevent from the lighting stands falling quickly and meanwhile ensure the safe operation;



DA006

Height	1100-2500mm
Arm Length	25x25x950mm
Load Capacity	30kg
Material	Steel
Inner box	120x110x1110mm(1pcs)
Master Carton	260x240x1140mm(4pcs)
Weight	5kg(Inner box/1pcs)



DA008

Height	1450-3250mm
Arm Length	Φ38x1220mm
Load Capacity	50kg
Material	Aluminum
Inner box	170x140x1360mm(1pcs)
Master Carton	360x300x1380mm(4pcs)
Weight	5kg(Inner box/1pcs)




DPC003

Components For The Bridge

2 ×	150mm (6")	Model No. DLC001
2 ×	300mm	Model No. DRF005
3 ×	300mm 300mm	Model No. DKB2903-200 Aluminium 290mm Length 2m

Parts As Followings




DPC001

Components For The Bridge

2 ×	150mm (6")	Model No. DLC002
2 ×	300mm	Model No. DRF004
2 ×	300mm 300mm	Model No. DLD150 Steel 150mm Length 2m

Parts As Followings



DA010

2 ×	150mm (6")	Model No. DA008
1 ×	300mm	Model No. DA010-1

Load Capacity:	100kg
Height:	1620-3250mm
Arm Length:	1500-3000mm
T Bar Size:	Φ38x1220mm
Material:	Aluminum
Shipping Package:	370x230x1520mm(1set)
Weight:	15kg(1set)

Weight:	6kg(DA010-1)
Weight:	9kg(DA008)
Shipping Package:	350x90x1500mm(DA010-1)
Shipping Package:	370x230x1520mm(DA008)



DA010-1


LIGHTING STANDS

DA011

2×  Model No. DA020
1×  Model No. DA011-1

Load Capacity: 120kg
Height: 1620-3250mm
Arm Length: 1500-3000mm
T Bar Size: $\Phi 38 \times 1220$ mm
Material: Steel
Shipping Package: 37×25×152cm(1set)
Weight: 36kg(1set)

Net Weight: 10kg(DA010-1)
Net Weight: 19kg(DA008)
Shipping Package: 350×90×1500mm(DA010-1)
Shipping Package: 370×250×1520mm(DA008)(1pcs)



DA009

Height: 1450-3250mm
Arm Length: $\Phi 38 \times 1220$ mm
Load Capacity: 60kg
Material: Aluminum
Inner box: 190×150×1360mm(1pcs)
Master Carton: 400×320×1380mm(4pcs)
Weight: 6kg(Inner box/1pcs)



DA020

Height: 1450-3250mm
Arm Length: $\Phi 38 \times 1220$ mm
Load Capacity: 60kg
Material: Steel
Inner box: 200×160×1390mm(1pcs)
Master Carton: 340×220×1430mm(2pcs)
Weight: 8.5kg(Inner box/1pcs)



DA025

Height: 2200-4000mm
Arm Length: 35×35×1300mm
Load Capacity: 85kg
Material: Steel
Master Carton: 1830×350×250mm(1pcs)
Weight: 27kg(Inner box/1pcs)



DA026

Height: 1650-2700mm
Arm Length: 35×35×1300mm
Load Capacity: 65kg
Material: Steel
Master Carton: 1810×217×200mm(1pcs)
Weight: 13kg(Inner box/1pcs)

MOBILE STAGE STANDS



DRC001
Spigot $\Phi 28$ mm
& Thread M10



DRC002
Spigot $\Phi 28$ mm
& Thread M10



DRB001
Fixing adapter for
spigot $\Phi 28$.
Suitable for the top
of a $\Phi 35$ mm mast



DRB002
ID.: 35×120mm,
Thread M10



DRB003
To mount a tube
 $\Phi 50$ mm on
the top of a
 $\Phi 35$ mm mast



DRB004
ID.: 35×120mm,
Thread M10

**DLB003**

Recommended Load Capacity	150kg / 330lbs
Maximum Height	4.80m / 15'7"
Minimum Height	1.95m / 6'4"
Base	2.13m / 7'
Folded Position	1.95m / 6'4"
Weight	63kg / 139lbs
Material	iron



Package (DLB005/DLB004/DLB006/DLB007)

DLB004

Recommended Load Capacity	180kg / 405lbs
Maximum Height	5.50m / 18'
Minimum Height	1.77m / 5'1"
Base	2.17m / 7'2"
Folded Position	1.77m / 5'1"
Weight	104kg / 229lbs
Material	iron

**DLC001**

Recommended Load Capacity	85kg / 187lbs
Maximum Height	4.00m / 13'2"
Minimum Height	1.75m / 5'9"
Base	1.60m / 5'3"
Folded Position	1.75m / 5'9"
Weight	25kg / 55lbs
Material	iron

T bars for option:DRF001~DRF006



Package (DLC001/DLC002)

DLC002

Recommended Load Capacity	65kg / 143lbs
Maximum Height	3.00m / 9'8"
Minimum Height	1.65m / 5'4"
Base	1.10m / 3'7"
Folded Position	1.65m / 5'4"
Weight	11kg / 24lbs
Material	iron

T bars for option:DRF001~DRF006



MOBILE STAGE STANDS



DRF001

T-bar 30x30mm-Length 1.5m(4.90")
Suitable for mounting 6 to 12 PAR
cans. Can be mounted onto the top
of a 35mm mast.



DRF002

Heavy duty T-bar 45x45mm-Length
1.5m(4.90") Suitable for mounting
6 to 12 PAR cans. Can be mounted
onto the top of a 35mm mast.



DRF003

Reinforced T-bar 50mm-Length
1.5m(4.90") . Must be used with CR50
hook clamp. Can be mounted onto the
top of a 35mm mast.



DRF004

For securing
(DLD△150 or DLD△200)
on to the top of 35mm mast



DRF005

For securing
(DKB△220/290 or DKB△390)
on to the top of 35mm mast



DRF006

For stand DLB004 only. To fix trussing
(△250-△250-△290-△350-△450-
△290-△500)