



Soundking | 音王 SD146

MICROPHONE CANTILEVER BRACKET

ADJUSTABLE KNOB AND DAMPING
STABLE AND NOT FALLING

REINFORCED AND THICK CLAMP

CAN CLIP UP TO 60MM TABLE EDGE



≤ 60mm

STABLE AND NOT FALLING

ADJUSTABLE KNOB AND DAMPING



ACCESS TO A SUITABLE ANGLE

FITS DIVERSIFIED DEMAND



Rotating 200°

Rotating 200°

Rotating 190°

Rotating 360°

Lenovo

SUITABLE FOR MOST MICROPHONES

STANDARD 3/8" THREAD WITH 3/8" TO 5/8" ADAPTE

Standard 3/8" thread, with 3/8" to 5/8" adapter



SPECIFICATION

Model SD146

Clamping thickness

5-60mm

Max. bearing weigh

1.5 kg

U-shaped plate material

6mmsteel

**Max horizontal
movement distance**

700mm

Upper boom length

365mm

Lower arm length

465mm

Inner box size

515*130*70

Carton size

535*280*235

Net weight

1.2 kg

Threaded joint

standard 3/8"thread with
3/8" to 5/8"adapter

Connecting pipe material

φ16*1.2 bright steel with
surface spray treatment

APPLICATION




Broadcasting



Radio stations



Network singing



Audio studio