


An epitome of Soundking product supply chain



Digital Drums

International Patent

Soundking Eletronics & Sound Co., Ltd.

Add:818# Chengxin Road Yinzhou Investment Industry Park, Ningbo China

Tel: 400-178-1688

Web: www.soundking.com



Soundking group



Soundking_1988



Sound King



SKD Series / Digital Drum


SKD350 Nixie Tube Full Mesh Digital Drum

A full mesh digital drum suitable for drummer practice and ordinary performance, with standard 5 drums and 3 cymbals. It has new designed sound module, which has built-in realistic percussion sound. And the software of sound module can update online. It can be compatible with a variety of teaching, game software, to meet the needs of all kinds of drummers.

Kit Components 5 drum 3 cymbal

Module:SKD350
8" Mesh SNARE(X1):dual zones
8" Mesh TOM(X3):mono
BASS PEDAL(X1)
10" HI-HAT(X1):mono
10" RIDE(X1)/CRASH(X1):mono+choke
HI-HAT PEDAL(X1):Different status and strength of pedals decide pad voice and volume

Patent No: **ZL201621158393.X**



SKD Series / Digital Drum


SKD360 Intelligent Full Mesh Digital Drum

A full mesh digital drum suitable for drummer practice and ordinary performance, with standard 5 drums and 3 cymbals. It has new designed sound module, which has built-in realistic percussion sound. And the software of sound module can update online, it can be compatible with a variety of teaching, game software, to meet the needs of all kinds of drummers.

Kit Components 5 drum 3 cymbal

Module:SKD360
8" Mesh SNARE(X1):dual zones,rim hit strongly
8" Mesh TOM(X3):dual zones
2" Rubber BASS(X1):mono
10" HI-HAT(X1):mono
10" RIDE(X1)/CRASH(X1):mono+choke
HI-HAT PEDAL(X1):Different status and strength of pedals decide pad voice and volume

Patent No: **ZL201621158393.X**



SD Series / Digital Drum

SD180


This rubber digital drum with the new-designed sound module has built-in realistic percussion sound, which is very suitable for drummer practice and performance, standard configuration of 5 drums and 3 cymbals, the software of the sound module can be updated online, drums and cymbals size can be selected in the menu to switch, compatible with a variety of teaching and game software, to meet the needs of all types of drummers.

Sound module

- 3 bit LED for display
- 300 high quality percussion voice
- 22 preset drum kits +10 user defined drum kits
- 20 demo songs
- 2 recordings save function
- 2 reverb settings
- Metronome: adjustable tone, meter, volume
- Tempo: 30-250bpm
- Software online upgrade function
- AUX input port/ line output/ headphone output/ USB port(USB to device)/ MIDI in/out
- Extension connection: TOM4(X1)/CRASH2(X1)
- Adjustable sensitivity/ crosstalk/ threshold/ mask time/ retrigger cancel
- Configuration upgrade: snare drum 10 inch, CRASH- RIDE 12 inch
- DC in: 12V/1A

Kit Components 5 drum 3 cymbal

Module: SD180
 8"SNARE(X1): dual zones
 8"TOM(X3): dual zones
 2"KICK DRUM(X1): mono
 10"HI-HAT(X1): mono
 10"RIDE(X1)/CRASH(X1): mono+ choke
 HI-HAT PEDAL(X1): Different status and strength of pedals decide pad voice and volume




SD Series / Digital Drum

SD120

The foldable Soundking Spider Arm drum stand features portable, stable and quick set up to suit various small shows or parties. The new pads and kick and hi-hat control provide natural performance. SD120 is compatible with teaching or game software and also uses latest audio source and abundant voices to meet various requirements.

Kit Components 5 drum 3 cymbal

Module:SD120
 7.5" SNARE(x1):dual zones, rim/pad hit simultaneously
 7.5" TOM(x3): mono
 BASS(x1): HI-HAT pedal
 8" HI-HAT(x1):mono
 triangle RIDE(x1)/CRASH(x1):mono+choke
 HI-HAT PEDAL(x1):
 Different status and strength of pedals decide pad voice and volume




SD130

The foldable Soundking Spider Arm drum stand features portable, stable and quick set up to suit various small shows or parties. The new pads provide natural performance. The kick trigger can be installed with hammer directly to provide real effect. The hi-hat control offers natural voice. SD130 is compatible with teaching or game software and also uses latest Soundking audio source and abundant voices to meet various requirements.

Kit Components 5 drum 3 cymbal

Module:SD130
 7.5" SNARE(x1):dual zones, rim/pad hit simultaneously
 7.5" TOM(x3): mono
 2"BASS(x1)
 8" HI-HAT(x1):mono
 triangle RIDE(x1)/CRASH(x1):mono+choke
 HI-HAT PEDAL(x1):
 Different status and strength of pedals decide pad voice and volume




SD Series / Digital Drum

SD130M

The foldable Soundking Spider Arm drum stand features portable, stable and quick set up to suit various small shows or parties. The new pads provide natural performance. The kick trigger can be installed with hammer directly to provide real effect. The hi-hat control offers natural voice. SD130M is compatible with teaching or game software and also uses latest Soundking audio source and abundant voices to meet various requirements.

Kit Components 5 drum 3 cymbal

Module:SD130M
 8" Mesh SNARE(x1): dual zones, rim hit strongly
 7.5" TOM(x3): mono
 2" BASS(x1)
 10" HI-HAT(x1): mono
 triangle RIDE(x1)/CRASH(x1): mono+choke
 HI-HAT PEDAL(x1):
 Different status and strength of pedals decide pad voice and volume




SD Series / Digital Drum

SD210

SD210 digital drum offers vivid voice to suit for practice or show. It is configured with 5 drums 3 cymbals. It can also be equipped with real bass drum pedal and supports dual hammers to provide real bass drum effect. The hi-hat control produces half open voice. The snare pad is enlarged to be 10 inch. SD210 is the product with high performance but low cost.

Kit Components 5 drum 3 cymbal

Module:SD200
 10" SNARE(x1): dual zones, rim/pad hit simultaneously
 8" TOM(x3): dual zones
 8" BASS(x1): support dual hammer
 10" HI-HAT(x1): mono
 12" RIDE(x1)/CRASH(x1): dual zones+choke
 HI-HAT PEDAL(x1):
 Different status and strength of pedals decide pad voice and volume




SD200

The machine uses stable drum stand is designed with black powder finish. All the cables can be installed inside the stand tubes for easy performance and pad installation. All pads and cymbals 2 channels. All pads use high quality rubber. The kick can be installed with any one traditional hammer (including dual hammers). The hi-hat control offers natural voice. Soundking professional audio source is designed with abundant voices and is compatible with teaching or game software to meet various requirements.

Kit Components 5 drum 3 cymbal

Module:SD200
 8" SNARE(x1): dual zones, rim/pad hit simultaneously
 8" TOM(x3): dual zones
 8" BASS(x1): support dual hammer
 10" HI-HAT(x1): mono
 12" RIDE(x1)/CRASH(x1): dual zones+choke
 HI-HAT PEDAL(x1):
 Different status and strength of pedals decide pad voice and volume




SD203

SD200 is the improved model of the flagship version which is configured with 6 drums 4 cymbals. All the cables can be installed inside the drum stand tubes for easy installation of pad and cymbals. No matter at home or in the show, it keeps stable performance. All pads use high quality rubber. The kick can be installed with any one traditional hammer (including dual hammers). The hi-hat control offers natural voice. Soundking professional audio source is designed with abundant voices and is compatible with teaching or game software to meet various requirements.

Kit Components 6 drum 4 cymbal

Module:SD200
 8" SNARE(x1): dual zones rim/pad hit simultaneously
 8" TOM(x4): dual zones
 8" BASS(x1): support dual hammer
 10" HI-HAT(x1): mono
 12" RIDE(x1)/CRASH(x2): dual zones+choke
 HI-HAT PEDAL(x1):
 Different status and strength of pedals decide pad voice and volume



SD Series / Digital Drum


SD230

SD230 is a middle class digital drum which is configured with 6 drums and 4 cymbals and offers vivid voice to suit for practice or show application. It can also be equipped with real bass drum pedal and supports dual hammers to provide real bass drum effect. The hi-hat control produces half open voice. The snare pad is enlarged to be 10 inch. SD230 is the product with high performance but low cost.



Kit Components 6 drum 4 cymbal

Module:SD200
 10" SNARE(x1):dual zones, rim/pad hit simultaneously
 8" TOM(x4):dual zones
 8" BASS(x1): support dual hammer
 10" HI-HAT(x1):mono
 12" RIDE(x1)/CRASH(X2):dual zones+choke
 HI-HAT PEDAL(x1):
 Different status and strength of pedals decide pad voice and volume




SD202

SKD202 digital drum offers vivid voice to suit for practice or show. It is configured with 5 drums 3 cymbals. It can also be equipped with real bass drum pedal and supports dual hammers to provide real bass drum effect. The hi-hat control produces half open voice. The snare pad is enlarged to be 10 inch. SD202 is the product with high performance but low cost.

Kit Components 5 drum 3 cymbal

Module:SD202
 10" Mesh SNARE(x1):dual zones, rim hit strongly
 8" TOM(x3): dual zones
 8" BASS(x1): support dual hammer
 10" HI-HAT(x1):mono
 12" RIDE(x1)/CRASH(x1):dual zones+choke
 HI-HAT PEDAL(x1):
 Different status and strength of pedals decide pad voice and volume



SD Series / Digital Drum

SD220

Patent No: ZL201621158393.X

(1) Drum head comprises three-layer mesh skin. Each layer used 60 mesh size PET wire (diameter 0.18mm) and polyester mesh cloth. Magnetic material is assembled in software material. The magnetic material fixed at the middle of software part has larger thickness than the soft material on the edge to reduce the mechanical noise when striking.

(2) Compared with traditional digital drum with rubber drum head, this patented mesh drum makes little mechanical noise and can guarantee the highest performance quality. Because of the use of mesh drum head, it looks and touches very close to traditional polyester film drum head.

(3) Patent technique is adopted as the non-contact mesh drum (patent being applied for, application already accepted). This kind of non-contact trigger mesh drum does not make direct contact with conductive medium. Compared with common digital drums on the market that require for direct contact between soft elastic material and mesh surface to transfer mechanical signal, this kind of drum can avoid poor contact caused by the dimensional change due to long-term use and extrusion. In this way, it can always generate accurate sound signal, and the service life can be increased effectively.


Kit Components 5 drum 3 cymbal

Module:SD220
 10"Mesh SNARE(x1):dual zones, rim hit strongly
 8"Mesh TOM(x3): dual zones
 8"Mesh BASS(x1): support dual hammer
 10" HI-HAT(x1):mono
 12" RIDE(x1)/CRASH(x1):dual zones+choke
 HI-HAT PEDAL(x1):
 Different status and strength of pedals decide pad voice and volume



Patent No: ZL201621158393.X

All drum pads are equipped with mesh drumhead.




SD300

SD300 is an electric drum to suit for drummer playing and stage show. This drum features vivid voice and standard 5 drum 3 cymbal configuration and high performance. The ride supports ride bell, ride pad and ride rim operation. The hi-hat control offers vivid half-open effect. The coach function is designed for beginner playing step by step.

Kit Components 5drum+3cymbal

Module:SD300
 10"SNARE(x1):Dual zones,rim/pad hit simultaneously
 8"TOM(x3):Dual zones
 12"CRASH(x1):Dual zones+choke
 14"RIDE(x1):three zones+choke
 10"HI-HAT(x1):mono
 8"BASS(x1): support dual hammer
 HI-HAT PEDAL(x1):
 Different status and strength of pedals decide pad voice and volume



SD Series / Digital Drum


SD310

SD310 is an electric drum to suit for drummer playing and stage show. This drum features vivid voice and standard 5 drum 4 cymbal configuration and high performance. The ride supports ride bell, ride pad and ride rim operation. The hi-hat control is a simulate hi-hat which consists of pedal and hi-hat cymbal to offer vivid cymbal effect. The coach function is designed for beginner playing step by step.



Kit Components 5 drum 4 cymbal

Module:SD300
 10"SNARE(x1):Dual zones,rim/pad hit simultaneously.
 8"TOM(x3):Dual zones
 12"CRASH(x2):Dual zones+choke
 14"RIDE(x1):three zones+choke
 12"HI-HAT(x1):Simulate cymbal
 8"BASS(x1): Support dual hammer
 HI-HAT PEDAL(x1):
 Different status and strength of pedals decide pad voice and volume



SD Series / MINI Digital Drum



SD20

FEATURES

MINI Independent foldable shelf bracket. The height can be adjusted by stretching and can be fixed by folding three points. Cymbals adopt hollow design.


Kit Components 3 drum 1 cymbal

KIT COMPONENTS

1*SD20 sound module
 1*Single-zone Snare pad
 1*Single-zone Tom pad
 1*single-zone Cymbal pad (Hi-Hat)
 1*Bass kick pedal

SD50 SOUND MODULE

Digitron display
 108 high quality percussion voice
 10 preset drum kits
 2 user defined drums kits
 10 demo songs
 Metronome: click time signature; click volume
 Tempo: 30-250bpm
 Connector: Aux in jack(1/8"), Line output jack(1/4"),
 Headphone output jack(1/8"), MIDI out
 Recording and playback facility




SD600

Patent No: **ZL201621158393.X**

- Professional drum stand, super stable performance;
- Brand new mesh technique, excellent layered voice;
- 10" MESH SNARE, perfect hand feeling;
- RIDE: Triple trigger cymbal, grasp to silence;

Kit Components 5 drum 4 cymbal

Module:SD600
 10" MESH SNARE(x1): Dual zone, rim hit strongly
 10" Mesh TOM(x1): dual zones
 8" MESH TOM1/TOM2 + 10" MESH TOM3: Dual zones
 12"CRASH(x2):Dual zones+choke
 14"RIDE(x1):three zones+choke
 12"HI-HAT(x1):Simulate cymbal
 8"MESH BASS(x1): Support dual hammer
 HI-HAT PEDAL(x1): Different status and strength of pedal
 decide pad voice and volume, some drum kits support 1/2



SD20A

FEATURES

MINI Independent foldable shelf bracket. The height can be adjusted by stretching and can be fixed by folding three points. Cymbals adopt hollow design.


Kit Components 3 drum 1 cymbal

KIT COMPONENTS

1*SD20 sound module
 1*Single-zone Snare pad
 1*Single-zone Tom pad
 1*single-zone Cymbal pad (Hi-Hat)
 1*Bass kick pedal

SD50 SOUND MODULE

Digitron display
 108 high quality percussion voice
 10 preset drum kits
 2 user defined drums kits
 10 demo songs
 Metronome: click time signature; click volume
 Tempo: 30-250bpm
 Connector: Aux in jack(1/8"), Line output jack(1/4"),
 Headphone output jack(1/8"), MIDI out
 Recording and playback facility



SD Series / MINI Digital Drum

SD20AM

FEATURES

MINI Independent foldable shelf bracket. The height can be adjusted by stretching and can be fixed by folding three points. Cymbals adopt hollow design.


Kit Components 3 drum 1 cymbal

KIT COMPONENTS

- 1*SD20M sound module
- 1* MESH Single-zone Snare pad
- 1*Single-zone Tom pad
- 1*single-zone Cymbal pad (Hi-Hat)
- 1*Bass kick pedal

SD50 SOUND MODULE

- Digitron display
- 108 high quality percussion voice
- 10 preset drum kits
- 2 user defined drums kits
- 10 demo songs
- Metronome: click time signature; click volume
- Tempo: 30-250bpm
- Connector: Aux in jack(1/8"), Line output jack(1/4"), Headphone output jack(1/8"), MIDI out
- Recording and playback facility
- Dual bass drum pedals on and off button



SD Series / MINI Digital Drum

SD30

FEATURES

It can be fixed by folding three points and the height can be adjusted by stretching. Cymbals adopt hollow design. The audio source module equip with a one-button DOUBLE BASS on function.


Kit Components 4 drum 2 cymbal

KIT COMPONENTS

- 1*SD30 sound module
- 1*Single-zone Snare pad
- 2*Single-zone Tom pad
- 2*single-zone Cymbal pad (Hi-Hat/Crash or Ride)
- 1*Bass kick pedal
- 1*Hi-hat controller pedal

SD50 SOUND MODULE

- Digitron display
- 108 high quality percussion voice
- 10 preset drum kits
- 2 user defined drums kits
- 10 demo songs
- Metronome: click time signature; click volume
- Tempo: 30-250bpm
- Connector: Aux in jack(1/8"), Line output jack(1/4"), Headphone output jack(1/8"), MIDI out
- Recording and playback facility
- Dual bass drum pedals on and off button



SD20M

FEATURES

MINI Independent foldable shelf bracket. The height can be adjusted by stretching and can be fixed by folding three points. Cymbals adopt hollow design.


Kit Components 3 drum 1 cymbal

KIT COMPONENTS

- 1*SD20M sound module
- 1* MESH Single-zone Snare pad
- 1*Single-zone Tom pad
- 1*single-zone Cymbal pad (Hi-Hat)
- 1*Bass kick pedal

SD50 SOUND MODULE

- Digitron display
- 108 high quality percussion voice
- 10 preset drum kits
- 2 user defined drums kits
- 10 demo songs
- Metronome: click time signature; click volume
- Tempo: 30-250bpm
- Connector: Aux in jack(1/8"), Line output jack(1/4"), Headphone output jack(1/8"), MIDI out
- Recording and playback facility



SD30M

FEATURES

It can be fixed by folding three points and the height can be adjusted by stretching. Cymbals adopt hollow design. The audio source module equip with a one-button DOUBLE BASS on function.


Kit Components 4 drum 2 cymbal

KIT COMPONENTS

- 1*SD30M sound module
- 1*MESH Single-zone Snare pad
- 2*Single-zone Tom pad
- 2*single-zone Cymbal pad (Hi-Hat/Crash or Ride)
- 1*Bass kick pedal
- 1*Hi-hat controller pedal

SD50 SOUND MODULE

- Digitron display
- 108 high quality percussion voice
- 10 preset drum kits
- 2 user defined drums kits
- 10 demo songs
- Metronome: click time signature; click volume
- Tempo: 30-250bpm
- Connector: Aux in jack(1/8"), Line output jack(1/4"), Headphone output jack(1/8"), MIDI out
- Recording and playback facility
- Dual bass drum pedals on and off button



SD Series / MINI Digital Drum

SD50

FEATURES

It can be fixed by folding three points and the height can be adjusted by stretching. Cymbals adopt hollow design. The audio source module equip with a one-button DOUBLE BASS on function.

Kit Components 5 drum 3 cymbal

KIT COMPONENTS

- 1*SD50 sound module
- 1*7"mono rubber SNARE DRUM
- 3*Single-zone Tom pad
- 3*Single-zone Cymbal pad (Hi-Hat/Crash and Ride)
- 2*Bass kick pedal
- 1*Hi-hat controller pedal

SD50 SOUND MODULE

- Digitron display
- 108 high quality percussion voice
- 10 preset drum kits
- 2 user defined drums kits
- 10 demo songs
- Metronome: click time signature; click volume
- Tempo: 30-250bpm
- Connector: Aux in jack(1/8"), Line output jack(1/4"), Headphone output jack(1/8"), MIDI out
- Recording and playback facility
- Dual bass drum pedals on and off button



SD20 Module Parameter



- Display: 3 bit nixie tube
- Tone: 108 high quality timbre
- Kit components: 10 preset drum kits; 2 set user defined drum kits
- Musical composition: 10 demo songs
- Metronome: The tempo can be adjusted; with independent volume control
- Tempo: adjustable range 30-250bpm
- Interfaces: Aux port (1/8"); External audio output (1/4"); headphone output port(1/8"); standard 5 pin MIDI port (output)
- Recording: You can record your own performance and play back the audition

SD30/SD50 Module Parameter



- Display: 3 bit nixie tube
- Tone: 108 high quality timbre
- Kit components: 10 preset drum kits; 2 user defined drum kits
- Musical composition: 10 demo songs
- Metronome: The tempo can be adjusted; with independent volume control
- Tempo: adjustable range 30-250bpm
- Interfaces: Aux port (1/8"); External audio output (1/4"); headphone output port(1/8"); standard 5 pin MIDI port (output)
- Recording: You can record your own performance and play back the audition
- Double bass drum pedal: Independent double-pedal function to turn on/off keys

Commander sound modules

SKD350 Module Parameter



- 3 bit LED for displaying
- 320 high quality percussion voice
- 22 preset drum kits + 10 user defined drum kits
- 20 demo songs
- Support 2 recordings power down saving
- Effect:2 types reverb
- Metronome: click voice,interval select, click volume
- Tempo:30-250bpm
- Software upgrade online function
- Aux input port/ line output/headphone output/USB port(USB to device)/MIDI in/out
- Extension connection: TOM4(X1)/CRASH2(X1)
- Adjustable sensitivity/ crosstalk/ threshold/ mask time/ retrigger cancel
- DC IN: 12V/1A

SKD360 Module Parameter



- 128X64 LCD
- 320 high quality percussion voice
- 25 preset drum kits + 12 user defined drum kits
- 20 demo songs
- Support 2 recordings power down saving
- Effect:2 band EQ, 2 types reverb
- Metronome: click voice,interval select, click volume
- Tempo:30-250bpm
- Software upgrade online function
- The automatic adjustment function is convenient for changing different drum sets and automatically setting drum related parameters
- Aux input port/ line output/headphone output/USB port(USB to device)/MIDI in/out
- Extension connection: TOM4(X1)/CRASH2(X1)
- Adjustable sensitivity/ crosstalk/ threshold/ mask time/ retrigger cancel
- DC IN: 12V/1A

SD180 Module Parameter



- 3 bit LED for display
- 300 high quality percussion voice
- 22 preset drum kits +10 user defined drum kits
- 20 demo songs
- 2 recordings save function
- 2 reverb settings
- Metronome: adjustable tone, meter, volume
- Tempo: 30-250bpm
- Software online upgrade function
- AUX input port/ line output/ headphone output/ USB port(USB to device)/ MIDI in/out
- Extension connection: TOM4(X1)/CRASH2(X1)
- Adjustable sensitivity/ crosstalk/ threshold/ mask time/ retrigger cancel
- Configuration upgrade: snare drum 10 inch, CRASH- RIDE 12 inch
- DC in: 12V/1A

Commander sound modules

SD120/SD130/SD130M Module Parameter



SD120/SD130 Module Parameter

- 3*8 segment LED
- 250 high quality percussion voices
- 20 preset drum kits+10 user defined drums kits
- 20 demo songs
- Metronome: click voice, interval select, click volume
- click volume
- tempo: 35-280bpm
- Adjustable sensitivity/crosstalk and reverb switch
- Connection: midi in / ou;usb midi / aux in jack /
- DC IN:12V/1A inside+,outside -
- Support 2 recordings power down saving
- Support online software upgrade

SD130W Module Parameter

- 3*8 segment LED
- 250 high quality percussion voices
- 20 preset drum kits+10 user defined drums kits
- 20 demo songs
- Metronome: click voice, interval select, click volume
- tempo: 35-280bpm
- Adjustable sensitivity/crosstalk and reverb switch
- Connection: midi in / ou;usb midi / aux in jack /
- line output / phone
- DC IN:12V/1A inside+,outside -
- and internal power supply
- Support software upgrade
- Support 2 recordings save if power down
- Built-in kick drum type adjustment, support two types of pedal or drum pan

SD200/SD202 Module Parameter



- 128 x 64 character LCD display
- 458 high quality percussion voices
- 26 preset drum kits+15 user defined drums kits
- 20 demo songs
- Support 4 recordings power down saving
- Effect: 3 band EQ, 2 reverb settings
- Metronome: click voice, interval select, click volume
- tempo: 30-300 bpm
- Adjustable threshold/crosstalk
- Aux in jack, Line output, Headphone output
- USB interface (USB to device), MIDI IN/OUT
- DC IN:12V/1A inside+,outside -
- Support software upgrade
- Support 2 recordings save if power down
- Built-in kick drum type adjustment, support two types of pedal or drum pan
- Support online software upgrade

SD220 Module Parameter



- 128 x 64 character LCD display
- 358 high quality percussion voices, including GM percussion instruments
- 29 preset drum kits+12 user defined drums kits
- 20 demo songs
- Support 4 recordings power down saving
- Effect: 3 band EQ, 2 reverb settings
- Metronome: click voice, interval select, click volume
- tempo: 30-300 bpm
- Aux in jack, Line output, Headphone output. USB interface (USB to device), MIDI IN/OUT
- adjustable sensitivity, crosstalk, thrshld, mask time, retrigger cancel
- DC IN:12V/1A inside+,outside -
- Support software upgrade
- Support 2 recordings save if power down
- Built-in kick drum type adjustment, support two types of pedal or drum pan
- Support online software upgrade

Patent No: ZL201510514108.7

Commander sound modules

SD300 Module Parameter



- Standard 2.8" TFT LCD + 3*8 segment LED
- 500 high quality percussion voice+128 GM instruments
- 36 preset drum kits+36 user defined drum kits
- 20 demo songs
- Coach function
 - Rhythm 10 exercises with different levels
 - beat 10 exercises with different levels
 - pattern 10 exercises with different levels
- Effect:
 - Reverb: 8types
 - EQ: 3types
- Metronome: click voice, volume interval select, click volume click mute
- tempo: 30-250bpm
- Adjustable threshold/crosstalk/mask time
- Data transmit: Drum setting & record data can be transmitted into/from U disk via USB MEMORY jack.
- Connection: midi in/ou;usb midi/aux in jack/line output/phone
- DC IN:12V/1A inside+,outside -

SKD600 Module Parameter



- Standard 2.8" TFT LCD + 3*8 segment LED
- 408 high quality percussion voices, GM percussion instruments included
- 30 preset drum kits + 20 user defined drum kits
- 20 demo songs
- Coach function
 - Rhythm 10 exercises with different levels
 - beat 10 exercises with different levels
 - pattern 10 exercises with different levels
- Effect:
 - Ⓐ Kit effect
 - Reverb: 6types, adjustable reverb type, reverb size, reverb level, reverb delay time, filter.
 - EQ : 2 band, adjustable low Freq/low gain; high Freq/high gain.
 - Ⓑ Voice effect: adjustable reverb, filter, pitch shift.
- Metronome: click voice, volume, interval select, click mute
- tempo: 30-250bpm
- adjustable sensitivity, crosstalk, thrshld, mask time, retrigger cancel
- Data transmit: Drum setting & record data can be transmitted into/from U disk via USB MEMORY jack.
- Connection: midi in/ou;usb midi/aux in jack/line output/phone
- DC IN:12V/1A inside+,outside -

DS Series / Drum Amplification

DS30B

30 WATTS DRUM AMPLIFIER 2 CHANNEL SONICALLY SUITED TO ELECTRONIC DRUMS

- 2 Channel Inputs
- Built-in 30 watt power amplifier
- 3 Band EQ
- LINE input
- BLUETOOTH
- Speaker: 10"/8ohm coaxial
- Full metal grille for speaker protection



DS50

50 WATTS DRUM AMPLIFIER 2 CHANNEL SONICALLY SUITED TO ELECTRONIC DRUMS

- 2 Channel Inputs
- Built-in 50 watt power amplifier
- 3 Band EQ
- Aux Input
- 10" bass driver plus tweeter
- Full metal grille for speaker protection



DS200

200 WATTS DRUM AMPLIFIER 2 CHANNEL SONICALLY SUITED TO ELECTRONIC DRUMS

- 2 Channel Inputs
- Built-in 200 watt power amplifier
- Aux Volume, Sub Volume and Master Volume controls
- Aux Input
- 12" bass driver, 2 x 6.5" Mid range drivers plus tweeters
- Full metal grille for speaker protection



SD Series / Drum stools

SD001

Diameter 300mm
Height:490mm-590mm



SD002

Saddle contour
Height:480mm-570mm



SD003 (Children's)

Diameter 280mm
Height:390mm-480mm



Drum mat

Size:1500mm-1200mm

