1.Software Version Upgrade

Save the updated APK package to a blank USB disk. Plug the USB disk into the USB port on the mixing console panel. Choose **Setup** to enter the setup interface, then **Maintenance** to enter the maintenance interface.

	2023/07/01 10:45:55
Setup Routing Meter	Information Sample Rate System System Version: Serial: 000000000004c2ad867 870000000 Sample Rate Maintenance Apk: V2.0.54 V2.0.54 V2.0.54 V2.0.54 Service: V0.3.10 V1.5.0 -58 V2.1 V2.1 Delay Unit
FX	IP Address: 192.168.168.108
Scenes Media	Brightness
Monitor	BUS 8 80.0 Hz IN S0.0 Hz S0.0 Hz

Select **Update from USB** in the **Maintenance** screen. Choose **Install**. Then wait for the restart and the update is successful.



After the version update is completed, the system page will be automatically restarted.Click the**menu**key.



Choose Mixer Appto enter.

APPS WIDGET	S					
Browser	- = + Calculator	Calendar	Clock	Dev Tools	Doveloarts	e File Manager
Digital Mixer	Digital Mixer		Q	Ø.	J	>>>> ►
Maintenance The second	MixerApp	Music	Search	Settings	Sound Recorder	UHD Player
		Ĩ				

2.WIFI Connection

			2023/07/01
Setup	Information System Version: Serial: 00000000000004c2ad867	Sample Rate	System
Routing	870000000 Apk: V2.0.54 Service: V0.3.10	48.0 KHZ 44.1 KHz	Maintenance
Meter	CBFW: V2.1 BridgeFW: V2.4	Delay Unit	SetupWifi
Scenes	IP Address: 192.168.168.108	t m	
Media	Brightness		
Monitor	BUS 8 Cri	Master L	
Custom	80.0 Hz	80.0 H	

Choose Setup to enter the setup interface. Choose Setupwifi to enter the wifi setup interface.

Select **SetupWifi** in the **Setup** screen to open WIFI page. The network connection provides 2 types, **Wi-Fi** and **Work mode**: **Wi-Fi** is suitable for fixed locations with WIFI, and the wireless router is optional according to distance requirements.

In places without WIFI, you can log in using **Work mode**.

			2023/07/01 10:44:29
Setup		Wi-Fi	
Meter	Wi-Fi ON Refresh	Forget	Work mode WIFI Save
FX Scenes	tp_link_dmix cadac-test ezviz_64DB8BD41399		SSID
Media	TP-LINK_F659	Connect	······ \
Monitor	zswunw 🕤		

Choose **Setup** to enter the setup interface. Find the **IP Address** connected, such as 192.168.168.108.

		2	2023/07/01 20:45:55
Setup Routing Meter FX	Information System Version: Serial: 000000000004c2ad867 870000000 Apk: V2.0.54 Service: V0.3.10 DSP FW: V1.5.0 -58 CBFW: V2.1 BridgeFW: V2.4 IP Address: 192.168.168.108	Sample Rate 48.0 KHz 44.1 KHz Delay Unit ms ft m	System Maintenance SetupWifi
Scenes Media Monitor Custom	Brightness BUS 8 Cro	ossover IN 80.0 H;	R

Open a browser (Google Chrome is recommended). Enter your **IP Address**, e.g.192.168.168.108:8888. Then press Enter to enter the remote control page (the red part must be the IP address of the console to be currently connected; ":" should use a semi-colon).

